### **FEATURES**





1. TSA\_ADV RECOIL PAD Exclusive shape. Three lenghts available: 14, 22 (standard) and 32 mm.



2. TRIGGER GROUP
Trigger adjustable by screw
from 0,9 to 1,8 kg. Easy to
reach also with gloves.
Optional set trigger.



**3.** LIGHT CONICAL KNOB

Not integral, removable with standard tools. Exclusive design for an easy and quick round shooting.



**4. MAGAZINE**Magazine with hinged floorplate, 3 or 4 rounds according to the caliber.



**5.** BOLT
Three locking lug chromed bolt, machined from one solid steel block. 60 degree rotation.



6. SAFETY

Two position safety. The action can be opened to unload the rifle, even when in safety position.



**7.** BARREL Cold hammer forged Chrome and Molybdenum steel barrel. 12,5 mm thread and 15,5 mm

diameter, 3 shots in 1 MOA. Free floating barrel, available with or without front sight.



Franch


Via della Stazione 50, 61029 Urbino (PU) Italia Tel.0722 3071 - Fax 0722 307370 aftersales@franchi.com www.franchi.com







# F

















### TWIN SHOCK ABSORBER\_ADV

The Bolt Action features the TSA ADV (Twin Shock Absorber Advanced) recoil pad. The TSA\_ADV recoil pad is available in three sizes, it is a mix of polyurethane foams which expand during the shot, absorbing up to 50% of the recoil. TSA\_ADV recoil pad can resist both to high and low temperatures.

i for the first time in its 150 years of introduces the Bolt Action rifle.

nics, precision and essential lines are the pillars of project. Horizon is a starting point, the beginning adventure.

## HORIZON

The Bolt Action is covered by a seven year warranty on mechanical parts.



#### **FRANCHI XS**

**7 YEAR WARRANTY** 

Franchi XS (Exclusive Style) is an ergonomic developed platform that, by studing the shooting habits of more than 1.000 hunters returned as a result the rifle with the perfect shape.

Instinct, cleverness, patience and strategy are the necessary elements for the ungulate hunting. Horizon becomes with you the star of a perfect day, in any place and under any circumstances.

| CALIBER        | LOP<br>(mm.)  | Lenght<br>(mm.) | Weight<br>(kg.) | Rounds | Barrel diameter<br>(mm.) | Twist<br>(inches) | Barrel Lenght<br>(cm.) |
|----------------|---------------|-----------------|-----------------|--------|--------------------------|-------------------|------------------------|
| 243 WIN        | 355 (347,365) | 1075            | 2,99            | 4      | 15,5                     | 10                | 56                     |
| 270 WIN        | 355 (347,365) | 1075            | 2,99            | 4      | 15,5                     | 10                | 56                     |
| 30-06 SPFD     | 355 (347,365) | 1075            | 2,99            | 4      | 15,5                     | 11                | 56                     |
| 308 WIN        | 355 (347,365) | 1075            | 2,99            | 4      | 15,5                     | 11                | 56                     |
| 300 WIN MAGNUM | 355 (347,365) | 1125            | 3,10            | 3      | 15,5                     | 11                | 61                     |